Tanaka Illustrated Parts Manual

Model Number:

THT-2120
HEDGETRIMMER


P/N 00020 Rev 002 Date 10-24-07






Nikko Tanaka Engineering U.S.A.,Ltd.• 1028 4th Street SW, Bldg B • Auburn, WA 98001 • Phone: (253) 333-1200 • Fax: (253) 333-1212

CYLINDER, PISTON, CRANKSHAFT, IGNITION • FIGURE 1




ITEM	PART NUMBER	DESCRIPTION	QTY	COMMENTS
1-1	1570650091	CAP,SPARK PLUG ASS'Y	1	
1-2	0181166021	PLUG,SPARK	1	
1-3	0010650090	SET,CYLINDER	1	Includes cylinder gasket
1-4	99416050201	SCREW,5X20/WS	2	
1-7	0170650020	GASKET,CYLINDER	1	
1-8	04100601210	RING,PISTON	1	
1-9	0300650090	PISTON	1	Includes rings and circlips
1-10	03706500200	PIN,PISTON	1	
1-11	03901620200	CIRCLIP,PISTON PIN	2	
1-12	04606500801	CRANKSHAFT	1	
1-13	99962081225	BEARING,NEEDLE,F-810	1	
1-27	1532153390	COIL,IGNITION	1	
1-28	99416040226	SCREW,WS,4X22	2	
1-36	25006500200	TUBE,INSULATOR	1	
1-37	1780650080	CORD,STOP COMPLETE	1	R107152~


CRANKCASE, FLYWHEEL • FIGURE 2




ITEM	PART NUMBER	DESCRIPTION	QTY	COMMENTS
2-21	0720650090	CRANKCASE ASS'Y	1	
2-22	09006500200	GASKET,CRANKCASE	1	
2-23	99966122206	SEAL,OIL,#TC12227	2	
2-24	99961600100	BEARING,BALL,#6001	2	
2-25	33000200210	SHIM,12.2X19X.10	1	
2-25	33000200220	SHIM,12.2X19X.15	1	
2-25	33000200230	SHIM,12.2X19X.20	1	
2-25	33000200240	SHIM,12.2X19X.30	1	
2-26	59900601200	CUSHION	1	
2-30	99414050301	SCREW,5X30/S	3	
2-31	1552152380	ROTOR,MAGNETO	1	
2-32	99201080011	WASHER,8	1	
2-33	99210080012	WASHER,S,8	1	
2-34	99101080011	NUT,8	1	
2-35	10002100200	BOLT,STUD,6X22	2	

FUEL SYSTEM • FIGURE 3










PARTS INFORMATION

THT-2120

FUEL SYSTEM • FIGURE 3


ITEM	PART NUMBER	DESCRIPTION	QTY	COMMENTS
3-25	40306500200	GASKET,INTAKE	1	
3-26	4040650090	SET,CARB INSULATOR	1	Includes gasket
3-27	99416050252	SCREW,5X25WS	2	_
3-30	40206500200	GASKET,CARBURETOR	1	
3-33	99967015000	O-RING,P15	1	
3-35	4230650081	BODY,CLEANER	1	
3-36	47006500200	COLLAR	2	
3-37	52806500200	LEVER,CHOKE	1	~R233951
3-37	5280650T20	LEVER,CHOKE	1	R233952~
3-38	99204080030	WASHER,8	1	
3-39	47601700200	BOARD,BLOW OVER CHECK	1	
3-40	99210050012	WASHER,S,5	2	
3-41	99011050602	SCREW,5X60	2	
3-43	4460650020	ELEMENT,CLEANER	1	
3-44	4520650091	COVER,CLEANER,W/BOLT	1	
3-45	3800637C200	BOLT,CLEANER COVER	1	
3-50	70053005130	PIPE,FUEL	1	~R107151
3-50	2230650090	PIPE,FUEL,ASS'Y	1	R107152~
3-51	68000731201	CLIP 6.3	1	
3-52	6750404280	FILTER,FUEL	1	
3-53	5910650000	TANK,FUEL	1	~T218560 One hole
3-53	5910661321	TANK,FUEL	1	~U217438 Two hole
3-53	5910651A21	TANK,FUEL	1	U217439~ Three hole
3-54	5950650A90	CAP,TANK	1	~T218560
3-54	5950656B90	CAP,FUEL BLACK,NON VENT	1	T218561~
3-55	65900801200	COLLAR	2	
3-58	99463050185	BOLT,HEX 5X18PS	2	
3-70	44225143800	PUMP,PRIMING ASS'Y	1	U217439~
3-77	7000250408	PIPE,FUEL,2.5x4x80	1	U217439~
3-78	7000250406	PIPE,FUEL,2.5X4X65	1	U217439~
3-79	53432710200	GROMMET, FUEL PIPE	1	U217439~
3-121	5640661190	VENT,AIR ASS'Y	1	U217439~
	5650441020	PIPE,AIR VENT	1	U217439~
3-123	6460661290	VALVE	1	T218561~

STARTER, MUFFLER, COVER • FIGURE 4




ITEM	PART NUMBER	DESCRIPTION	QTY	COMMENTS
4-3	7380650020	PROTECTOR,MUFFLER	1	
4-4	73706500200	GASKET,MUFFLER	1	
4-5	13306500200	SHIELD,HEAT	1	
4-6	70606500800	MUFFLER	1	
4-7	99201050011	WASHER,5	2	
4-8	99051050503	BOLT,HEX,5X50	2	
4-11	1120650080	CASE,FAN	1	
4-12	78006097200	SPRING,RECOIL	1	
4-13	77406097200	PULLEY,STARTER	1	
4-14	80106091200	WASHER,ROPE REEL	1	~Q005150
4-15	8390201020	SCREW,SET	1	
4-16	79806500900	PULLEY,STARTER,ASS'Y	1	
4-17	2030604A202	GROMMET	1	
4-18	78306097200	ROPE,STARTER	1	
4-19	78506410200	HANDLE,STARTER	1	
4-20	99415040162	SCREW,PS,4X16	3	
4-21	75106500200	GASKET,MUFFLER	1	
4-22	7210650090	PIPE,TAIL	1	
4-24	99434040081	SCREW,4X8/S	2	
4-47	2770634F900	CLUTCH,ASS'Y	1	
4-61	99072045164	SCREW,TAPPING,4.5X16	1	
4-62	99425040128	BOLT,PS,4X12	2	
4-65	79006097200	SPRING,STARTER PAWL	1	
4-66	7880650020	PAWL,STARTER	1	

CARBURETOR • FIGURE 5




ITEM	PART NUMBER	DESCRIPTION	QTY	COMMENTS
5-0	45525145900	CARBURETOR,ASS'Y	1	~R233951
5-1	54825140200	SCREW,THROTTLE SET	2	
5-5	53925120200	SWIVEL	1	
5-7	48925100200	RING,STOP	1	
5-8	48825145800	VALVE,THROTTLE	1	
5-10	55025100200	O-RING	1	
5-11	5992000W410	JET,MAIN,#41	1	
5-13	~ ~ ~	GASKET,PUMP	1	~ Not available individually
5-14	~ ~ ~	DIAPHRAGM,PUMP	1	Order #650.25140.900 Carb Kit
5-15	52325100201	PLATE,PUMP	1	
5-16	52225100200	PLATE,CIRCUIT	1	
5-17	57825007200	SCREEN,INLET	1	
5-18	57525140800	BODY,PUMP	1	
5-19	~ ~ ~	GASKET,DIAPHRAGM	1	
5-20	~ ~ ~	DIAPHRAGM,METERING	1	
5-21	47625004200	COVER,DIAPHRAGM	1	
5-22	54825101200	SCREW,SET	4	

CARBURETOR • FIGURE 6




ITEM	PART NUMBER	DESCRIPTION	QTY	COMMENTS
6-0	455-06500-90	CARBURETOR, ASSY	1	R233952~U217438
6-0	455-0651A-90	CARBURETOR, ASSY	1	U217439~
6-1	54825140200	SCREW,THROTTLE SET	2	
6-5	53925120200	SWIVEL	1	
6-7	48925100200	RING,STOP	1	
6-10	55025100200	O-RING	1	
6-11	5992001W35	JET,MAIN,#35	1	~U217438
6-11	599200BW34	JET,MAIN,LONG,#34.5	1	U217439~
6-13	~ ~ ~	GASKET,PUMP	1	~ Not available individually
6-14	~ ~ ~	DIAPHRAGM,PUMP	1	Order #650.25140.900 Carb Kit
6-17	57825007200	SCREEN,INLET	1	
6-18	5752518280	BODY,PUMP	1	~U217438
6-18	5752514780	BODY,PUMP ASS'Y	1	U217439~
6-19	~ ~ ~	GASKET,DIAPHRAGM	1	
6-19	~ ~ ~	GASKET,DIAPHRAGM	1	
6-20	~ ~ ~	DIAPHRAGM,METERING	1	
6-21	47625004200	COVER,DIAPHRAGM	1	
6-22	54825101200	SCREW,SET	4	

GEAR CASE, HANDLE • FIGURE 7



ITEM	PART NUMBER	DESCRIPTION	QTY	COMMENTS
7-1	3003316081	CASE,GEAR	1	
7-2	99350015002	RING,STOP,C-15 EX	1	
7-3	99961600200	BEARING,BALL,#6002	1	
7-4	99961600202	BEARING,BALL,#6002Z	1	
7-5	2883318080	DRUM,CLUTCH	1	
7-6	30533160200	SHAFT,GEAR	1	
7-7	07533160200	PLATE,GUIDE	1	
7-8	1013316022	ROD,CAM	2	
7-9	3073318020	GEAR,2	1	
7-10	30333160200	GASKET,GEARCASE	1	
7-11	6303316020	COVER,GEAR CASE	1	
7-12	1223316821	GUIDE,CUTTER	1	~A302050
7-12	1223324820	GUIDE,CUTTER	1	A302051~
7-13	1363316020	PLATE,PROTECTION	1	T092851~
7-14	99052060165	BOLT,HEX,6X16	2	
7-15	CB-22A	BLADE,A,DS,26"	2	
7-16	08533160200	SEAL,GREASE A	2	
7-17	12933202201	WASHER,7	5	
7-18	1243320221	BOLT,CUTTER FIXING,A	5	~A302050
7-18	1243228720	BOLT,FIXING,A	5	A302051~
7-19	1233317A20	NUT,CUTTER FIXING	5	~A302050
7-19	40927	NUT,FLANGE,6	5	A302051~
7-21	99461040104	BOLT,HEX,4X10,S	8	
7-22	30032250801	FITTING,GREASE	1	
7-23	99051060143	BOLT,HEX,6X14	2	
7-67	19805015800	CLAMP,CORD	1	
7-69	1383316520	COVER,CUTTER,26"	1	~T092850
7-69	1383317120	COVER,CUTTER,26"	1	T092851~
7-71	99210060012	WASHER,S,6	2	
	99440060011	NUT,SPRING 6	2	
7-81	99201060011	WASHER,6	3	T092851~

GEAR CASE, HANDLES • FIGURE 8






PARTS INFORMATION

THT-2120

GEAR CASE, HANDLES • FIGURE 8

ITEM	PART NUMBER	DESCRIPTION	QTY	COMMENTS
8-25	05033160200	HANDLE,A	1	
8-26	17033160800	SWITCH,STOP	1	
8-27	2581165020	BUTTON,STOP	1	
8-28	99011030101	SCREW,3X10	1	
8-29	23033160200	LEVER,THROTTLE	1	
8-30	23133160200	LEVER,SAFETY	1	
8-31	23233160200	SPRING,THROTTLE LEVER	1	
8-32	06432530200	PIN, PUSH	1	~R233951
8-33	05133160200	HANDLE,B	1	
8-34	06632300201	SPRING,STOPPER	1	~R233951
8-35	72532600202	CAP, PUSH PIN	1	~R233951
8-35	7653212020	CAP	1	R233952~
8-36	99072045164	SCREW,TAPPING,4.5X16	6	
8-37	05833160200	BRACKET,HANDLE	1	
8-38	99200060011	WASHER,SMALL,6	2	
8-39	99161060012	NUT,WING,6	1	
8-40	99021060551	BOLT,6X55 HEX	1	~Q005150
8-40	99021060501	BOLT,6X50	1	Q005151~
8-41	26632750200	DAMPER,B	2	
8-42	27632710201	COLLAR,DAMPER B	2	
8-43	36832057200	WASHER,BRAKE SHAFT	2	
8-45	99414050301	SCREW,5X30/S	2	
8-46	29433160200	COLLAR	1	~Q005150
8-46	2943316021	COLLAR 16	1	Q005151~
8-47	88506500800	WIRE,THROTTLE	1	
8-48	92533160200	DECAL,STOP BUTTON	1	
8-50	2493316020	BODY,CLAMP A	1	
8-51	27632710201	COLLAR,DAMPER B	2	
8-52	26632750200	DAMPER,B	2	
8-53	36832057200	WASHER,BRAKE SHAFT	2	
8-55	99414050301	SCREW,5X30/S	2	
8-56	99073045124	SCREW,TAPPING,4.5X12	2	
8-57	2503316020	BODY,CLAMP,B	1	
8-58	99073045124	SCREW,TAPPING,4.5X12	3	
8-61	2103316021	HANDLE	1	
8-62	0403316080	SUPPORT,HANDLE	1	
8-63	99201050011	WASHER,5	2	
8-65	99414050401	SCREW,5X40/S	2	
8-73	16407007000	TUBE,PROTECTION,7X700	1	

DECALS, TOOLS • FIGURE 9



Tanaka. PROFORCE. -5


27




MARNING: Manufactured with 1, 1, 1-trichloroethane, a substance which harms public health and environment by destroying ozone in the upper atmosphere.

IMPORTANT!!

Wash cleaner element in warm soapy water and squeeze, air dry. Then saturate the sponge in 2 cycle oil or the equivalent, squeeze the sponge to distribute the oil completely and to remove excess oil.







ITEM	PART NUMBER	DESCRIPTION	QTY	COMMENTS
9-1	95037900200	DECAL,PRO-FORCE A	1	
9-2	9060650021	DECAL,THT-2120	1	
9-5	95137900200	DECAL,PRO-FORCE	1	
9-8	91106500200	DECAL,SRS	1	
9-10	9200650A20	DECAL,WARNING	1	~R003554
9-17	9203246620	DECAL,CAUTION	1	R003555~
9-27	9083316021	DECAL,CAUTION	1	
9-28	91933160200	DECAL	1	
9-75	03629331501	SPANNER,COMBI	1	
9-76	81320000200	WRENCH,HEX,4	1	



Date: June 2001

Model & Serial: THT-2100/THT-2120/THT-2510/THT-2520/THT-2540/HTD-2522PF/HTD-2526PF/HTD-

2530PF/HTS-2530PF.

All units produced <u>after</u> serial number W100101.

Reason: When these units are fitted with the aluminum safety shield, some experience

loosening of the blade jam nuts. A flat washer has been added between the nut


and the aluminum shield to help prevent the nut from becoming loose.

Models THT-2100, 2120, 2510 and HTD-2526PF, 2522PF require 3 washers.

Models THT-2520, 2540 and HTS-2530PF and HTD-2530PF require 2 washers

Part Number Changes:

Old Part #	New Part #	Description	Remarks	
992-01060-011		Washer		





Date: January, 2002

Model & Serial: All THT, HTD, HTS, TPH hedgetrimmer models.

All units after serial number Y004401

Reason: All future production of hedgetrimmer models will utilize a blade-retaining nut

that is of the locking variety. These nuts are oblong on one side to prevent loosening during use, but can be removed and re-installed without losing their


locking ability.

When adjusting blade-fastening hardware, thread the bolt (18) through the blades and guide bar from the bottom, to a point where the flat washer (17), is still able to rotate, (usually to seat, and then backed off between ¼ and ½ revolution). Then install the lock nuts on the topside, tightening them while holding the bolt in place. Tighten all nuts, and then re-check for adjustment prior to operation. A lubricating agent, such as WD-40 should also be used to prevent

sap build-up and premature wear.

Part Number Changes:

Old Part #	New Part #	Description	Remarks	
123-33202-200	123-3317A-20	Lock Nut	Reference #19	





Date: December 2004

Model & Serial: THT-2120 / HTD-2526PF / HTD-2522PF

All Units


Reason: We have received field reports of hedge trimmer cutter guide bar breaking under

certain conditions and have developed a solution to reduce the likelihood of this

reoccurring.

Part Number Changes: THT / HTD

Reference	New parts #	Description
	462-33191-90	Support plate assy
# 20	994-61040-124	* Hex hole bolt 4x12S (6 pcs)
# 60	301-33191-21	* Gear case B
# 77	462-33191-20	* Support plate
# 78	994-61040-104	* Hex hole bolt 4x10S (4 pcs)
# 81	871-32600-200	* Special washer B





Date: December 2004

Model & Serial: TPH-210/2501/250PF270PF – A290201 and later.

HTD-2522PF/2526PF/2530PF, HTS-2530PF/2540PF - A302051 and later.

THT-2120/2520/2540 - A302051 and later.

Reason: Configuration standardization of hardware, converting blade hardware from US

Standard thread to Metric thread.

Comments: Please verify serial number on unit prior to ordering replacement blade hardware and

add the support plate on older serial numbers.

Part Number Changes:

Description	Old parts #	New parts #	Comments
	For TPH-210/2501/250PF/270PF		
Cutter guide 625.5L M6	122-32287-21	122-32286-21	
Cutter fixing bolt A	124-33202-21	124-32287-20	4 to 1 pc
Cutter fixing bolt B		125-32287-20	3 pcs
Flange nut M6	123-3317A-20	991-82060-001	4 pcs
	For HTD-2522PF		
Cutter guide 625.5L M6	122-33160-21	122-33178-20	
Cutter fixing bolt A	124-33202-21	124-32287-20	
Flange nut M6	123-3317A-20	991-82060-001	
Protection plate 390L	136-33160-20		
Washer 6	992-01060-011		3 pcs
	For THT-2120/HTD-2526PF		
Cutter guide 734L M6	122-33168-21	122-33248-20	
Cutter fixing bolt A	124-33202-21	124-32287-20	
Flange nut M6	123-3317A-20	991-82060-001	
Protection plate 390L	136-33160-20		
Washer 6	992-01060-011		3 pcs
	For HTS-2530PF		
Cutter guide 830L M6	122-33187-20	122-33285-20	
Cutter fixing bolt A	124-33202-21	124-32287-20	
Flange nut M6	123-3317A-20	991-82060-001	
Protection plate 585L	136-33181-20		
Washer 6	992-01060-011	3 to 1 pc	
	For THT-2520/HTD-2530PF		
Cutter guide 845.5L M6	122-33190-21	122-33191-20	
Cutter fixing bolt A	124-33202-21	124-32287-20	
Flange nut M6	123-3317A-20	991-82060-001	
protection plate 380L	136-33190-20		
Washer 6	992-01060-011		2 pcs
	For THT-2540/HTS-2540PF		
Cutter guide 1105L M6	122-33185-20		
Cutter fixing bolt A	124-33202-21	124-32287-20	
Flange nut M6	123-3317A-20	991-82060-001	
Protection plate 585L	136-33181-20		
Washer 6	992-01060-011	3 to 1 pc	